

Maximum Male Enhancement

.Ingredients:

Paeonia suffruticosa, Halitum, Morinda officinalis, Cornus officinalis, Achyranthes bidentata, Rose laevigata, Cyperus rotundus, Melia toosendan, Glycyrrhiza uralensis, Citrus reticulata, Psoralea corylifolia, Asian ginseng, Phellodendron chinense, Alpinia oxyphylla, Commiphora myrrha, Curcuma longa, Cynomorium songaricum, Epimedium brevicornum, Eugenia caryophyllata, Atractylodes chinensis, Atractylodes macrocephala, Dioscorea opposita

.Usage and dosage:

Three capsules once and twice daily One month is a treatment course.

1. Overview

Maximum Male Enhancement is a natural kidney invigorating product prepared based on the TCM theory, i.e. the food supplement we usually say, which can promote sexual desire and strengthen Yang. After many years of carefully study on experienced prescription and secret prescription invigorating the kidney by experts in three famous TCM research institutes, China Academy of TCM, Institute of China Family Planning Association and Guangzhou University of TCM, they combine their own clinical practice and modern pharmacological study, creatively propose that, to promote sexual desire and strengthen Yang, kidney tonifying, spleen invigorating and blood promoting should be organically combined to simultaneously treat principal and subordinate symptoms, thus to benefit each other and determine the treatment based on differentiation of symptoms and signs. They form the prescription based on this principle, and apply modern pharmaceutical technique to prepare the Jiandan capsule. After the clinical confirmation by the above three institutes, it is confirmed that, this new kidney tonifying method can promote sexually desire and strengthen Yang. It not only abides by the traditional TCM theory, but also has some innovation, and the effects are truly outstanding after application.

TCM has a long history in the aspect of promoting sexual desire and strengthening Yang, and rich theory knowledge and practical experience are accumulated. TCM believes that sexual function is mainly related with kidney (TCM). It is believed that "kidney" is the "the congenital foundation" of human, which not only masters the sex and reproductive functions of human, but also dominates the whole life activity of human. The sexual function is mainly depending on "kidney". In dozens of years, experts in the medical universities studied the nature of TCM "kidney" by using modern medical method. The results demonstrate that, TCM "kidney" is not only an independent solid organ. It is the function demonstration of two feedback circles of hypothalamus-pituitary-target gland axis and nerve-endocrine-immunological network. In these two circles, target glands also the target point gland or aim gland, which mainly mean the adrenal gland and sexual glands (testicle for male and ovary for female). The two circles of kidney mainly host and regulate the functions of sexual glands, adrenal glands and the immunity, and it is critical for the normal functions of sexual and reproductive functions, and the whole life activities.

The action characters of Maximum Male Enhancement is starting from cerebral cortex, hypothalamus and pituitary, then to target gland, then immunological system, and it comprehensively act on the pathway of kidney nature, tonify kidney, replenish essence and generate marrow from the aspect of kidney nature. By the non-exogenous supplement, it can recover the hormone level of human body by themselves, and recover our kidney system to the thriving state of young life. It would make people full of essence, and full of energy, and use as you want, there is no worry about no sufficient energy, and the feeling of emptying.

Maximum Male Enhancement combines tonifying kidney, invigorating spleen and promoting blood together. When kidney is reinforced, it should be nourished by spleen and stomach, because the latter two can produce essence of water and grain. TCM believes that "spleen and stomach being the acquired foundation". Renal deficiency usually induces the deficiency of spleen and stomach, they would affect each other. Therefore, the treatment should not only tonify kidney but also invigorate spleen and benefit vital energy. The manifestation and complete application of thriving male renal functions cannot only make kidney system full of essence, with smooth blood flow and high level of hormones, it will activate blood flow in reproductive organ and make it congest with blood. Only in this way, sexual desire promoting product can truly exert its effect. Therefore, kidney tonifying and blood promoting must be combined.

Of course, in the aspects of promoting sexual desire, flushing and strengthening Yang, Maximum Male

Enhancement is different from the modern western drug or hormones. It depends on comprehensive adjustment, and there is no side effect. It can strengthen body and make people healthy, with no injury to human body. The product is mainly applied to males, especially people older than 40 years old. Their body gradually becomes weak, and the vigor is not sufficient, and they yawn now and then. They had fatigued limbs, sore waist and weak knee, chilliness and cold limbs, dizziness and tinnitus. The remembrance is decreased, presenility occurs, the stool is loose, night piss is increased and sexual desire is decreased, they have not much wish to have sex, the voluptuous is not as good as before, or they even get impotence. Once one or several of the above symptoms appear, renal deficiency is diagnosed in TCM, then Maximum Male Enhancement is your first choice.

Maximum Male Enhancement has obvious difference with other TCM kidney tonifying products. The product adopts trinity method of tonifying kidney, invigorating spleen and promoting blood to form the prescription, simultaneously treat principal and subordinate symptoms, organically combine all these aspects, and nothing would be forgotten. The product has special and unique effects on decreased sexual desire, low wish of sexual life, poor voluptuous, or frequency night urine and loose stool, etc. The product is a prescription of natural products and is suitable for long term application, and people need not to worry about side effects.

2. What are the action mechanisms of Maximum Male Enhancement? (How to work?)

According to the theory of traditional Chinese medicine, Maximum Male Enhancement strengthens sexual functions and eliminates the above renal deficiency by tonifying kidney, invigorating spleen and promoting blood. TCM believes that, the decreased sexual function and a series of renal deficient symptoms are originated from renal deficiency. When renal function decreases, blood flow would not be smooth, the blood flow can not flow to the reproductive organs. These are induced by renal deficiency, and they are symptomatic expressions, but must be corrected.

The research institutes have completely studied the modern pharmacodynamics mechanism of Maximum Male Enhancement, and the results demonstrate that, Maximum Male Enhancement can

2.1 Promote the development of reproductive organs in old mice, and obviously enlarge the weight of external and internal reproductive organs and tissues.

2.2 Obviously increase the sperm number of old mice, and improve the moving capacity of sperm.

2.3 Recover and promote the mating capacity of old mice.

2.4 Have effects of testosterone, improve testosterone (T) level and decrease estrogen (E₂) level in animals, thus to obviously decrease the ratio of E₂/T.

2.5 Reinforce the cold tolerance, hypoxia tolerance and tiredness resistance of weak mouse models.

2.6 Adjust and improve immunity of old mice.

2.7 Effectively improve the blood flow of old mice.

2.8 Effectively adjust fat metabolism, lower the content of hazardous blood fat, and increase the content of high density lipoprotein which is beneficial to human body.

2.9 Obviously improve the capacity of mice to resist oxidization, eliminate free radicals and work against senility. It can also increase the activities of SOD (superoxide dismutase) and GSH-PX (glutathione peroxidase) and obviously lower the level of LPO (peroxidized lipid).

2.10 Effectively prevent the necrosis of cartilage and increase the content of aminopolysaccharide in cartilages in old mice.

3. Indications of Maximum Male Enhancement

3.1 Decreased sexual desire or loss of libido

Definition: normal males, especially medium aged or old age people, when improper or disharmonious requirements of sexual requirements occur, it is abnormal, which can be named decreased sexual desire. The complaints of patients mainly include: they have coital desire to their wives after a long time, and the desire is not that strong. Quality of sexual life is decreased, the pleasant feeling is good enough, a feeling that they are tired to cope with this. Or they have no sexual interest, when their wives require initiatively, they do sexual life occasionally, this

can be named loss of libido. The difference of the two is only the variation of sexual desire.

Etiological factors: sexual function is under the adjustment of nervous and endocrine systems, and is controlled by a series of conditional reflexes and unconditioned reflexes. It is completed involving multiple systems, such as nervous system, endocrine system, movement system, respiratory system and circulation system. Therefore, it is not only affected by the above mentioned physiological systems, but also the psychological factors.

(1) Age factors: when males are older than 40 years old, the secretion of testosterone is decreased, and sexual desire will gradually decrease.

(2) Mental factors: they have incorrect attitude towards sexual life, and they think it is immoral, lewd and libidinous. Or some of them may think it is harmful to body. And some people are afraid of sexual intercourse, and religion or belief sometimes may be the inhibiting factors.

(3) Diseases: weak body over exhausted, chronic disease, disturbance of endocrine, etc. can induce decreased sexual desire.

(4) Vigor: because mental labor is tense and over exhausted, even one of the nerve in nervous system is over excited, this excitation may inhibit the other central systems, such as sex center, and sexual desire is decreased.

(5) Endocrine: the function of testicles decrease, and the male hormone is produced too less, than sexual decrease would happen.

3.2 Asynodia

(1) Definition: asynodia is the synonym of erection disturbance (ED), and it usually indicates that penis cannot erect and it is not solid enough after erected, and the penis can not insert into the vagina for sexual intercourse. People who can insert into vagina to do sexual intercourse cannot be named as asynodia.

(2) Classification: traditional method divides asynodia into primary asynodia and secondary asynodia. Primary asynodia is that penis has never inserted into vagina for sexual intercourse, while secondary asynodia is that the penis has been inserted into vagina before, but it can not erect for various reasons or mental disorders.

_ Asynodia is divided into functional asynodia and organic asynodia by etiological factors. Functional asynodia is that penis cannot erect in sexual life or in excitation, or it becomes relaxed after inserted into vagina, this type takes 90% of the asynodia. For organic asynodia, penis cannot erect anytime, and it is mostly induced by organic diseases.

_ Asynodia is classified into four types based on age:

Type I: patients younger than 20 years old can not do sexual intercourse or can not maintain enough erection belong to refractory asynodia patients, the reason for this are usually family hurt, piety believer or people with homosexuality. These patients should be treated in mental department.

Type II: patients between 20 and 25 years old, they mainly can not accomplish sexual intercourse in honeymoon. They have ipsation history, and there is abnormal psychological erection in morning, or hypererolism. These people should be treated in mental department.

Type III: for patients between 30 and 50 years old, the difficult erection is insidious, and gradually they can not feel passion and sexual desire under any conditions. They are under low androgen level, and hard to be cured.

Type IV: for patients between 50 and 70 years old, they usually have great stimulation in mind, their spouses die, or they divorce, or they have operation in genital tract or urethra, and erection failure is induced, or sexual desire is decreased. Patients with acute attacks are usually related with arteriosclerosis, diabetes and alcoholic poisoning.

(3) Etiological factors:

_ Functional asynodia: not organic disease, and mainly induced by psychological factors, such as fear, fatigue, fear of poor performance in sexual intercourse, etc.

_ Organic factors: deficient blood flow, neurological disorder, endocrine factors such as diabetes, hypofunction of hypothalamus, hypophyseal tumor, hypercortisolism, feminism, tumor, thyroid hyperfunction or hypofunction, and primary developmental disorder of genital glands etc.

_ Others: influence of drug, such as ismelin, reserpine, estrogen, anticholinergic agents; various operation complications, resection through perineal region and prostate gland, radical resection of rectal carcinoma; inflammatory diseases, chronic prostatitis; toxic substance, such as lead poisoning; trauma, such as testicle trauma, castration, pelvic fracture, penis trauma; diseases of urinary system, such as penile induration, capistration, spermophlebectasia. All the above mentioned conditions may induce asynodia.

3.3 TCM knowledge on the above two diseases:

TCM believes that, decreased sexual desire and asynodia naturally induced by deficiency of kidney-Qi, decline of kidney-Yang and damage of kidney-essence, among which decline of kidney-Yang is the dominant factor. Because kidney-Yang is the leader of kidney-essence and kidney-Qi, and kidney-Yang deficiency can easily induce deficiencies of kidney-Qi and kidney essence. When kidney-Yang is fully nourished, kidney essence would be full, and kidney-Qi is nurtured. The kidney tonifying prescription of Maximum Male Enhancement achieve the goal of tonifying kidney deficiency by warmly invigorating kidney Yang. It is believed in TCM that reproduction and sexual functions are dominated by kidney, and kidney depends on the nourishment of essence of water and grain produced by spleen and stomach, kidney deficiency would usually induce deficiency of spleen and stomach, and they will affect each other. Therefore, besides of tonifying kidney Yang, it should invigorate spleen and benefit Qi. The critical of blood promoting is quick action, and the symptoms can be quickly alleviated. Relatively speaking tonifying has slow effects, but it mainly exerts their effects against the pathological results, and this is the radical method which can solve the problem from the nature. Maximum Male Enhancement has unique effects on decreased sexual desire, and the effects are outstanding; it also has good effects on functional asynodia, but poor effects on organic asynodia.